

**SYPRIS**<sup>®</sup>  
TEST & MEASUREMENT

6120 Hanging Moss Road, Orlando, Florida, 32807 (407) 678-6900, FAX (407) 671-0664

Customer: **ACCORD INDUSTRIES**

P. O. No.: **Q60564**

Job No.: **280706**

Order Quantity: **1**

S.O. / D.C.:

Customer P/N:

Job#:

Specification: **Customer P.O.**

Assy. Lot#:

Part Type: **SIGN**

Package:

Prepared By: **Harry E Cummings III**



Date Prepared: **04/19/08**

Reviewed By:

Date Reviewed: **4/19/08**

## CERTIFICATE OF CONFORMANCE

This is to certify that the referenced item was subjected to a testing program in accordance with your Procurement Document, as defined in the attached test plan. This plan specifies the test sequence, outlines the test conditions and provides a summary for each test.

Sypris Test & Measurement does not infer or imply that the test methods utilized in the body of this report have been granted suitability by the Defense Supply Center Columbus, (DSCC). A current listing of approved suitability methods is available upon request.

Mfr.: ACCORD

Date Code: N/A

Accept: 1


Reject: 0


SEE ATTACHED DOCUMENTATION

Approved By:

Date Approved: **4-5-08**


Task	Conditions	Date Completed	Operator Stamp
------	------------	----------------	----------------

<b>INCOMING INSPECTION</b>	Visual check for shipping damage Verify packing slip information	3-31-08							
	<table border="1"> <thead> <tr> <th data-bbox="359 424 534 466">Quantity</th> <th data-bbox="534 424 845 466">Part #</th> <th data-bbox="845 424 1236 466">Serial #</th> </tr> </thead> <tbody> <tr> <td data-bbox="359 466 534 507">1</td> <td data-bbox="534 466 845 507">N/A</td> <td data-bbox="845 466 1236 507">N/A</td> </tr> <tr> <td data-bbox="359 507 534 542"></td> <td data-bbox="534 507 845 542"></td> <td data-bbox="845 507 1236 542"></td> </tr> </tbody> </table>			Quantity	Part #	Serial #	1	N/A	N/A
Quantity	Part #	Serial #							
1	N/A	N/A							

<b>HIGH TEMPERATURE STORAGE</b>	<p><b>Documentation:</b> Customer P.O.</p> <p><b>Conditions:</b> Hot Temperature: +71.1°C (+3°C, -0°C) Number of hours: 3456 (144 days)</p> <p>Start Date <u>3-31-08</u> Start Time <u>2 PM</u>          Stop Date <u>8-25-08</u> Stop Time <u>6:00 AM</u></p> <p><b>Procedure:</b> Test IAW with specified documentation. Cycle on and off for twenty minutes a day, weekdays only. Inspect for damage.</p> <p><b>Details:</b> Operational: <b>Light to work continuously during test.</b> Failure Criteria: N/A</p> <p>Calculations for six year durability test: Tmax (71.1°C) and years of accelerated life (6) X Acceleration factor (24) for metal/plastic hardware 4 years of life from ASTM table= 144 days.</p> <p><b>Operator's notes:</b>  No Physical Damage</p> <p>Qty in <u>  /  </u> Qty out <u>  /  </u></p>	8-25-08	
---------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	---------------------------------------------------------------------------------------


Task	Conditions	Date Completed	Oper Start
------	------------	----------------	------------


ACCORD INDUSTRIES



3/31/08 2 PM TO 8/25/08 6 AM

Task	Conditions	Date Completed	Operator Stamp
------	------------	----------------	----------------

<p><b>USAGE LOG</b></p>	<p>All Equipment Station Logs Completed.</p> <table border="1" data-bbox="352 358 1206 658"> <thead> <tr> <th>Manufacturer</th> <th>Model # / Function</th> <th>Asset #</th> <th>Cal. Due</th> </tr> </thead> <tbody> <tr> <td>Blue M</td> <td></td> <td>83-16691</td> <td>03/12/09</td> </tr> <tr> <td>HP</td> <td>34970A</td> <td>83-6244</td> <td>04/18/09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Manufacturer	Model # / Function	Asset #	Cal. Due	Blue M		83-16691	03/12/09	HP	34970A	83-6244	04/18/09																													<p>8-25-08</p>	
	Manufacturer	Model # / Function	Asset #	Cal. Due																																							
	Blue M		83-16691	03/12/09																																							
	HP	34970A	83-6244	04/18/09																																							

<p><b>PACK</b></p>	<p>Use original container or equivalent One copy of test plan.</p>	<p>8-25-08</p>	
<p><b>SHIP TO:</b></p>	<p><b>HONEYWELL</b> 11 WEST SPRING STREET FREEPORT, IL 61032</p>		
<p><b>SHIP VIA:</b></p>	<p><b>UPS GROUND</b></p>		