


REMOVABLE FAN PLATE FOR SINGLE 4" FAN ONE EACH SIDE



FRONT VIEW

AIR INLET HOLES SCREENED

VENT ONE EACH SIDE

PULL OUT DRAWER ONE EACH RACK

12" X 16" METAL AIR FILTERS (2)


FRONT LEFT HAND DOOR AND REAR LEFT HAND DOOR HAVE LOUVERS

44.500

LOUVERS

40.500

FRONT



BOTTOM VIEW

18.500

REAR

LOUVERS

**Southern Manufacturing**

501 Herndon Ave  
Orlando, FL 32803 407-894-8851

MATERIAL: 5052H-32 ALUMINUM .125" in

FINISH: MILL

NAME DATE

DRAWN By: LAB 12/8/2008

CHECKED:

MFG APPR:

Cust APPR:

**MISSISSIPPI D. O. T.  
TYPE C CABINET**

SIZE P/N: 67X44X26-SUBMITTAL

**A** 67" X 44" X 26" 4 DOOR CABINET

Rev:

Scale: 1:20

Sheet 1 of 1


NOTES:

1. CABINET IS CONSTRUCTED FROM .125" THICK 5052 H-32 ALUMINUM AND IS BASE MOUNTED.
2. CABINET HAS TWO NON OVERLAPPED FRONT DOORS AND TWO NON OVERLAPPED REAR DOORS. THE FRONT (LEFT HAND) DOOR AND THE REAR (LEFT HAND) DOORS HAVE LOUVERS AND A 12" X 16" METAL AIR FILTER WITH A METAL LOUVER COVER, AND A REMOVEABLE CENTER POST.
3. ALL DOORS HAVE 3 POINT LATCHING, 3 POSITION DOOR STOPS (90,120,165 DEGREES), DOCUMENT POUCH BRACKETS, (4) STAINLESS STEEL HINGES AND NEOPRENE GASKET ALL AROUND WITH A TOP GASKET RETAINER.
4. CABINET HAS SCREENED VENTS ON THE LEFT AND RIGHT SIDES, (2) FAN PLATES FOR SINGLE 4" FANS, (2) LIFTING EYES, (2) EIA 19" RACKS WITH TWO FRONT AND TWO REAR DOOR SWITCH/LAMP BRACKETS, AND TWO RACK MOUNTED PULL OUT DRAWERS.
5. ALL HARDWARE IS STAINLESS STEEL.

3/4" PADLOCK ABLE STAINLESS STEEL HANDLE

66.854

LIFT EYES ONE EACH SIDE



RIGHT SIDE VIEW

STAINLESS STEEL HINGES FOUR EACH DOOR

19" EIA RACKS (2)





26.000

PROPRIETARY AND CONFIDENTIAL

The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.

**SOUTHERN MANUFACTURING  
MISSISSIPPI D.O.T. TYPE C CABINET  
BASE MOUNT/QUAD DOOR CABINET SPECIFICATONS  
SPECIAL PROVISION NO. 907-637-2**

1. Cabinet (67"H. x 44"W. x 26"D.) is fabricated from .125" thk. aluminum, 5052-H32. Cabinet finish: unpainted, mill finish. All hardware (door handle, center cam, hinges, hardware, etc.) is stainless steel, type #304.
2. Cabinet constructed to NEMA 3R standards.
3. Cabinet is base mounted, open bottom, with standard CalTrans Housing #3 anchor bolt hole pattern.
4. Double, non-overlapping, front doors & double, non-overlapping, rear doors.
5. A removable door center post is provided, between each set of doors.
6. #2 Corbin locks for each door, with two keys.
7. Pad lockable 3/4" dia. stainless steel door handles, each door.
8. Three point door latching with nylon rollers for top and bottom strikers, each door. Door locking rods are 1/4" x 3/4" aluminum turned edgewise
9. Three position door stop rod (90°, 120°, 165°) each door.
10. Four stainless steel hinges per door.
11. Louvers and washable, 12" x 16" metal air filters (with metal filter cover) are provided in (front) left hand door and (rear) left hand door.
12. Neoprene door gaskets.
13. Screened vented top, left side & right side.
14. Removable fan plates for single 4" exhaust fan, one right side & one left side are provided.
15. Right side (front view) fan plate equipped with & wired for power connection terminal block, single 112 CFM, 115 VAC fan, fan thermostat, fuses & fuse holders for fans & lights and R/C noise suppressors for fans & lights
16. Left side (front view) fan plate equipped with & wired for power connection terminal block & single 112 CFM, 115 VAC fan.
17. (2) 19" EIA racks, w/ plated steel rack angles, tapped #10-32 holes, rack frame approx. 20.25" W x 21.125" D x 55.75" H (31 R.U.)
18. (4) rack side panels, 50" high x full width. Two center rack panels are each provided with four 5" dia. holes (for wiring feed-thru), each hole with protective grommet. Right rack right side panel is 45" high due to lower right power panel.
19. (4) two front & two rear removable door switch/lamp brackets with (four) wired door switches and (four) wired 8w fluorescent lights are provided.
20. Document brackets are mounted on non-louvered doors with (1) plastic document pouch supplied with wiring schematics.
21. (2) rack mounted storage drawers with telescoping drawer guides to allow full extension from the rack frame, is provided. Drawer has a hinged lid to allow access to storage space, lid has non-slip plastic laminate surface. Drawer dimensions, approx., 1.75" H. x 16" W. x 14" D.
22. (1) lower right side mounted (silkscreened) power panel. Power panel supplied with & wired for DIN rail mounted circuit breakers, terminal blocks, power surge suppressor & one GFCI receptacle affixed with 300 watt max labels.
23. Upper right side mounted (silkscreened) support panel, provided with two 15 amp duplex receptacles affixed with 75 watt max labels.
24. Power panel, & four side panels are fabricated from .125" thk. aluminum, 5052-H32.
25. Cabinet is equipped with and wired for:
  - a. (2) 4", 120 Vac, 115 CFM fans
  - b. (1) fan thermostat
  - c. (1) 1 A. fuse & fuse holder for fans
  - d. (1) 5A. fuse & fuse holder for light
  - e. (4) 8 watt, fluorescent cabinet light, two front & two rear mounted
  - f. (4) door switches, two front & two rear mounted
  - g. (2) r/c networks, for fan & light
  - h. (1) rack mounted, 120 Vac, 15 A., rear facing, eight outlet, power strip, located in right hand rack



ITEM NO.	PART NUMBER	DESCRIPTION	Qty
1	Assembly, 15a Std Outlet	Assembly, Duplex Outlet Box, w 15a Std outlet	2
2	Assy GaDOT Type F 8w Lamp v2b	Assembly, Door Lamp, 8w, Single Door Switch, Type F	4
3	Assy Hammond 1583H8A1	Assembly, Outlet Strip, 19", 6 Outlet, Switched, 15a, Type F	1
4	Assy PP MsDOT Type C	Assembly, Power Panel, MsDOT Type C	1
5	ASSY Sliding Drawer Type F	Assembly, Sliding Storage Drawer, 1u, Type F	2
6	Assy SP L MsDOT Type C	Assembly, Side Panel	2
7	Assy Type F FPA Master	Fan Plate Assembly, Type F, Right Side (Master)	1
8	Assy Type F FPA Slave	Fan Plate Assembly, Type F, Left Side (Slave)	1
9	CALTRAN-RACK-ASSY	Caltran EIA 19" Rack 55.75", 30u, Type F	2
10	Document Pouch	Document Pouch, 12X15, w eyelets, documentation & schematics	1
11	Label 75watt max	Label, Warning, "75 Watts Max" Make From TZ-441	4
12	Pnl-AI-45x21-RCEP-1	Right Center Equipment Panel	1
13	Pnl-AI-50x21-LOEP-1	Left Outside Equipment Panel	1



**Southern Manufacturing**


501 Herndon Ave  
Orlando, FL 32803 407-894-8851

MATERIAL: 5052H-32 ALUMINUM .125" in

FINISH: MILL

DRAWN By:	NAME	DATE	P/N: Assy MsDOT Type C	
	LAB	2009-09-18 02:40:24 PM	Assy: Assy MsDOT Type C	
CHECKED:			Sheet1	
MFG APPR:			-	
Cust APPR:			Scale: 1:20	Sheet 1 of 9
				Rev: <b>SIZE A</b>

**PROPRIETARY AND CONFIDENTIAL**  
The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.



ITEM NO.	PART NUMBER	Syspro Number	DESCRIPTION	Qty
1	Allen Bradley 1492EAJ35	TERMBLOCK-AB 1492EAJ35	End Anchor, Din Rail	4
2	Atlantic Scientific 22035	SURGESUPPRESSOR-RFI-22035	Surge Suppressor, MA15, 120v, 47-63 Hz AC / 140v DC, 18 kA, 15a	1
3	CA-AI-LSP-MsDOT Type F-1		Panel, Lower Side Ms DOT	1
4	Din Rail 6X285x15.5	DIN-MTG-TRACK 35MM	Din Rail, 35mm, Cut to Length15.5"	1
5	Hubbell DRUBGF115	RECIPTICAL-GFCI-DIN-15A	Outlet Assy, Din, 15a, GFI	1
6	IBOCO7578K71x12	WIREDUCT05000625	1/2x5/8x12	1
7	IBOCO7578K71x8	WIREDUCT05000625	1/2x5/8x8	1
8	Label Warning 300W		Label, Warning, "300W" Make From TZ-441	2
9	Molex 19099-0042	Production Supply	Terminal Lug, Snap Fork, Yellow (10-12 Awg), 1/4"	1
10	Phoenix 3030242	JUMPER-PHOENIX FBS 3-6	Bridge UT4, 3 position	4
11	Phoenix 3030349	JUMPER-PHOENIX FBS 5-6	Bridge UT4, 5 position	1
12	Phoenix 3045130	TERMBLOCK-PHOENIX UT4WHUNI	Contact Block, UT4, White, 1000v, 32a, 10-26 awg	6
13	Phoenix 3045143	TERMBLOCK-PHOENIX UT4BK	Contact Block, UT4, Black, 1000v, 32a, 10-26 awg	6
14	Phoenix 3045156	TERMBLOCK-PHOENIX UT4GNUNI	Contact Block, UT4, Green, 1000v, 32a, 10-26 awg	5
15	Phoenix 3046317	TERMBLOCK-PHOENIX UT10WHUNI	Contact Block, UT10, White, 1000v, 76a, 6-20 awg	1
16	Phoenix 3046320	TERMBLOCK-PHOENIX UT10BK	Contact Block, UT10, Black, 1000v, 76a, 6-20 awg	1
17	Phoenix 3046322	TERMBLOCK-PHOENIX UT10GN	Contact Block, UT10, Green, 1000v, 76a, 6-20 awg	2
18	Phoenix 3047028	TERMBLOCK-PHOENIX D-UT	Cover Plate UT2.5/10	9
19	Phoenix 3047060	JUMPER-PHOENIX RB-UT	Bridge, Stepdown, UT10-UT4	1
20	Phoenix 3047167	TERMBLOCK-PHOENIX ATP-UT PRTN	Partition ATP-UT	7
21	SquareD Qou130	CIRCUIT BREAKER-30A	Circuit Breaker, 115v, 30a Single Pole, Square D	1
22	Weidmeuller 9101603500	CIRCUIT BREAKER-2.5A-DIN	Circuit Breaker, 2.5A, 1 Pole, Weidmeuller	1



**Manufacturing**

501 Herndon Ave  
Orlando, Fl. 32803 407-894-8851

MATERIAL: in

FINISH:

DRAWN By:

CHECKED:

MFG APPR:

Cust APPR:

NAME

DATE

2009-09-18  
02:40:24 PM

P/N: Assy PP MsDOT Type C

Assy: Assy MsDOT Type C

Sheet2

Assembly, Power Panel, MsDOT Type C

Rev:

Scale: 1:3


Sheet 2 of 9

SIZE **A**

**PROPRIETARY AND CONFIDENTIAL**

The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.





**Southern Manufacturing**

501 Herndon Ave  
Orlando, FL 32803 407-894-8851

MATERIAL: in

FINISH:

DRAWN By:

CHECKED:

MFG APPR:

Cust APPR:

NAME

DATE

2009-09-18  
02:40:24 PM

P/N:

Assy: Assy MsDOT Type C

Sheet4

Rev:


Scale: 1:20

Sheet 4 of 9

SIZE **A**

**PROPRIETARY AND CONFIDENTIAL**


The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.



DRAWN By:	NAME	DATE	P/N:
	CHECKED:	2009-09-18 02:40:24 PM	Assy: Assy MsDOT Type C
MFG APPR:			Sheet5
Cust APPR:			Rev:
			Scale: 1:20
			Sheet 5 of 9
			SIZE <b>A</b>

**PROPRIETARY AND CONFIDENTIAL**

The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.




ITEM NO.	PART NUMBER	DESCRIPTION	Rt Side/QTY.	Lt Side/QTY.
1	Assy 336FPB&Parts	Fan Thermostat & Fuse Mounting Assembly	1	-
2	Assy Molex 03-09-1064	Assembly, Connector, Electrical	2	2
3	CA-67X44X26-TYPEF-FP	Type F, 4" FAN PLATE	1	1
4	Cinch 06-141	Terminal Block, 6 Position, 141 Series	1	1
5	CoolTron FA1238B1117-61	Fan 4", 112 CFM, 120v AC, .512a, 6.1w, Ball Bearing	1	1
6	Fuse AGC-1	Fuse, 1-1/4" x 1/4", Fast Blow, 250v, 1a	1	-
7	Fuse AGC-3	Fuse, 1-1/4" x 1/4", Fast Blow, 250v, 3a	1	-
8	Mallory 504M02QA22	RC Network, 200v DC, 125v AC, .5 uF, 220 Ohm, 1/2w	1	-
9	Marathon 601 RJ2	Jumper, Terminal Block, 141/601 Series.	1	1
10	Microplastics 22CC50C0250	Loop Clamp, .250" Dia, Heavy Duty	4	3
11	Molex 19003-0013	Quick Disconnect, Female, .110" Red, 18-22 AWG	2	2
12	Molex 19099-0003	Terminal Lug, Snap Fork, Red (18-22 AWG), #8	1	-
13	Molex 19099-0009	Terminal Lug, Snap Fork, Red (18-22 AWG), #6	2	2
14	Molex 19099-0027	Terminal Lug, Snap Fork, Blue (14-16 AWG) #6	4	3
15	WireTie	Wire Tie	2	-

  
**Southern Manufacturing**  
 501 Herndon Ave  
 Orlando, Fl. 32803 407-894-8851

NAME	DATE	Assy MsDOT Type C	
DRAWN By: GWM	2009-09-18 02:40:24 PM	P/N: Assy Type F FPA R&L	
CHECKED:		Sheet 6	
MFG APPR:		Fan Plate Assembly, Type F, Left Side (Slave)	
Cust APPR:		Scale: 1:7	Sheet 6 of 9
			Rev: 1
			SIZE <b>A</b>

PROPRIETARY AND CONFIDENTIAL

The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.



ITEM NO.	PART NUMBER	Syspro Number	DESCRIPTION	Rev	Qty
1	Bkt-al-1x19-YGLLD Mount TyF-2	Bkt-al-1x19-YGLLD Mount 336-2	Mounting Bracket, 8w YGLLD Lamp&Door Switch, Type F	2	1
2	SunPark YGLLD	FIXTURE-STRIP-13-1/2-8W	Lamp, Florescent, 120v AC, 8w, Electronic Ballast, T5 bulb	1	1
3	Eaton 8411K7	Switch-Door-PB-6a	Switch, 1p1t, no, pb, 120v, 6a	1	1
4	Molex 03-09-2062	CONNECTOR-MOLEX 03092062	Connector Body, Male 6 Pin, 250v, 14a	1	1
5	Molex 02-09-2103	CONNECTOR-MOLEX 02092103	Contact, Male, 14-20 awg	1	4
6	Molex 19099-0009	Production Supply	Terminal Lug, Snap Fork, Red (18-22 AWG), #6	1	3
7	WireTie	Production Supply	Wire Tie	1	3



**Southern Manufacturing**

501 Herndon Ave  
Orlando, Fl. 32803 407-894-8851

MATERIAL: in

FINISH:

NAME

DATE

DRAWN By:

GWM

2009-09-18  
02:34:30 PM

CHECKED:

MFG APPR:

Cust APPR:

P/N: Assy GaDOT Type F 8w Lamp v2b

Sheet7

Assembly, Door Lamp, 8w,  
Single Door Switch, Type F

Rev: 1


Scale: 1:3

Sheet 7 of 9


SIZE **A**

**PROPRIETARY AND CONFIDENTIAL**


The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.



Pnl-AI-50x21-LOEP-1



Pnl-AI-50x21-LOEP-1



Pnl-AI-45x21-ROEP-1



**Manufacturing**

501 Herndon Ave  
Orlando, Fl. 32803 407-894-8851

MATERIAL: in

FINISH:

DRAWN By:

CHECKED:

MFG APPR:

Cust APPR:

NAME

DATE

2009-09-18  
02:40:24 PM

P/N: Assy SP L MsDOT Type C

Assy: Assy MsDOT Type C

Sheet8

Assembly, Side Panel

Rev:

Scale: 1:10

Sheet 8 of 9

SIZE **A**

**PROPRIETARY AND CONFIDENTIAL**

The information contained in this drawing is the sole property of Southern Manufacturing. Any reproduction in part or as a whole without the written permission of Southern Manufacturing is prohibited.

ITEM NO.	PART NUMBER	Syspro Number	DESCRIPTION	Qty
1	2x4 NEMA 5-20 Cover	CONDUIT-BOX DUPLEX COVER	Cover, 2x4 Outlet, Standard, Duplex	2
2	2x4 Utility Outlet Box	CONDUIT-0050-UTILITY BOX	Outlet Box, Steel, Duplex	2
3	336fpb	336fpb	Bracket, Thermostat/Fuse Mounting	1
4	Accuride 3832-14P	SLIDE-DRAWER-14-ZP	Drawer Slide, 14"	4
5	Allen Bradley 1492EAJ35	TERMBLOCK-AB 1492EAJ35	End Anchor, Din Rail	4
6	Atlantic Scientific 22035	SURGESUPPRESSOR-RFI-22035	Surge Suppressor, MA15, 120v, 47-63 Hz AC / 140v DC, 18 kA, 15a	1
7	Bkt-al-1x19-YGLLD Mount Tyf-2	Bkt-al-1x19-YGLLD Mount 336-2	Mounting Bracket, 8w YGLLD Lamp&Door Switch, Type F	4
8	CA-67X44X26-TYPEF-FP	CA-67X44X26-TYPEF-FP	Type F, 4" FAN PLATE	2
9	CA-AL-LSP-MsDOT Type F-1		Panel, Lower Side Ms DOT	1
10	CAB-AL-336WireCover-2	Cab-AL-336Wirecover-2	Wire Cover, 336s Rack	2
11	Cinch 06-141	TERMBLOCK-CINCH 6-141	Terminal Block, 6 Position, 141 Series	2
12	CoolIron FA1238B11T7-61	FAN-4-T20V-112CFM	Fan 4", 112 CFM, 120v AC, .512a, 6.1w, Ball Bearing	2
13	Din Rail 6X285x15.5	DIN-MTG-TRACK 35MM	Din Rail, 35mm, Cut to Length 15.5"	1
14	Document Pouch	DOCUMENTPOUCH-08X11	Document Pouch, 12X15, w eyelets, documentation & schematics	1
15	Eaton 8411K7	Switch-Door-PB-6a	Switch, 1p1f, no, pb, 120v, 6a	4
16	Fuse AGC-1	FUSE AGC-1	Fuse, 1-1/4" x 1/4", Fast Blow, 250v, 1a	1
17	Fuse AGC-3	FUSE AGC-3	Fuse, 1-1/4" x 1/4", Fast Blow, 250v, 3a	1
18	GADOTA	GADOTA	Sliding Drawer Bottom	2
19	GADOTB	GADOTB	Sliding Drawer Top	2
20	GADOTHG	GADOTHG	Hinge, Sliding Drawer	2
21	GADOTMB-v2	GADOTMB-v2	GADOT Drawer Mount Bracket, Type F 332	4
22	Hammond 1583H8A1	POWERSTRIP-HAMMOND 1583H8A1	Outlet strip, rack mounted, 1u	1
23	HNUT 0.2500-20-D-N	Production Supply	Nut, Hex, 1/4"	8
24	Hubbell DRUBGF115	RECIPTICAL-GFCI-DIN-15A	Outlet Assy, Din, 15a, GFI	1
25	IBOCO7578K71x12	WIREDUCT05000625	1/2x5/8x12	1
26	IBOCO7578K71x8	WIREDUCT05000625	1/2x5/8x8	1
27	Label 75watt max		Label, Warning, "75 Watts Max" Make From TZ-441	4
28	Label Warning 300W		Label, Warning, "300W" Make From TZ-441	2
29	Littlefuse 3453LF1-010	FUSE-HOLDER-345	Fuse Holder, Panel Mount, 3AG, 1/4 X 1-1/4 FUSE	2
30	Mallory 504M02QA22	NOISESUPPRESSOR-MA504M02QA220	RC Network, 200v DC, 125v AC, .5 uF, 220 Ohm, 1/2w	2
31	Marathon 601 RJ2	JUMPER-MARATHON 601-RJ2	Jumper, Terminal Block, 141/601 Series.	2
32	McMaster 9600K36	GROMMET-MC-9600K36	Grommet, Insulating, 3/4" KO Outlet Box	2
33	Microplastics 22CC50C0250	Production Supply	Loop Clamp, .250" Dia, Heavy Duty	7
34	Molex 02-09-1104	CONNECTOR-MOLEX 02091102	Contact, Female, 14-20 awg, 02-09-1102 is a substitute.	16
35	Molex 02-09-2103	CONNECTOR-MOLEX 02092103	Contact, Male, 14-20 awg	16
36	Molex 03-09-1064	CONNECTOR-MOLEX 03091064	Connector Body, Female, 6 Pin, 250v, 14a	4
37	Molex 03-09-2062	CONNECTOR-MOLEX 03092062	Connector Body, Male 6 Pin, 250v, 14a	4
38	Molex 19003-0011	Production Supply	Quick Disconnect, Female, .187" Red, 18-22 AWG	4
39	Molex 19003-0013	Production supply	Quick Disconnect, Female, .110" Red, 18-22 AWG	4
40	Molex 19099-0003	Production Supply	Terminal Lug, Snap Fork, Red (18-22 AWG), #8	1
41	Molex 19099-0009	Production Supply	Terminal Lug, Snap Fork, Red (18-22 AWG), #6	16
42	Molex 19099-0019	Production Supply	Terminal Lug, Snap Fork, Blue (14-16 Awg), #8	2
43	Molex 19099-0027	Production Supply	Terminal Lug, Snap Fork, Blue (14-16 AWG) #6	7
44	Molex 19099-0042	Production Supply	Terminal Lug, Snap Fork, Yellow (10-12 Awg), 1/4"	1
45	MSHXNUT 0.138-32-S-N	Production Supply	Hex Nut	10
46	NEMA 5-15	RECEPTACLE-DUPLEX	Outlet Receptacle, 125v, 15a, Standard	2
47	PAD-VINYL-13X15.5	PAD-VINYL-13X15.5	Borco Pad for sliding drawer	2
48	Panduit Grommet 5		Description	8
49	PEM CLSS-032-3 ---N	Production Supply		32
50	PEM FH-032-T0 X--S	Production Supply		10
51	Phoenix 3030242	JUMPER-PHOENIX FBS 3-6	Bridge UT4, 3 position	4
52	Phoenix 3030349	JUMPER-PHOENIX FBS 5-6	Bridge UT4, 5 position	1
53	Phoenix 3045130	TERMBLOCK-PHOENIX UT4WHUNI	Contact Block, UT4, White, 1000v, 32a, 10-26 awg	6
54	Phoenix 3045143	TERMBLOCK-PHOENIX UT4BK	Contact Block, UT4, Black, 1000v, 32a, 10-26 awg	6
55	Phoenix 3045156	TERMBLOCK-PHOENIX UT4GNUNI	Contact Block, UT4, Green, 1000v, 32a, 10-26 awg	5
56	Phoenix 3046317	TERMBLOCK-PHOENIX UT10WHUNI	Contact Block, UT10, White, 1000v, 76a, 6-20 awg	1
57	Phoenix 3046320	TERMBLOCK-PHOENIX UT10BK	Contact Block, UT10, Black, 1000v, 76a, 6-20 awg	1
58	Phoenix 3046322	TERMBLOCK-PHOENIX UT10GN	Contact Block, UT10, Green, 1000v, 76a, 6-20 awg	2
59	Phoenix 3047028	TERMBLOCK-PHOENIX D-UT	Cover Plate UT2.5/10	9
60	Phoenix 3047060	JUMPER-PHOENIX RB-UT	Bridge, Stepdown, UT10-UT4	1
61	Phoenix 3047167	TERMBLOCK-PHOENIX ATP-UT PRTN	Partition ATP-UT	7
62	Pnl-AI-45x21-RCEP-1		Right Center Equipment Panel	1
63	Pnl-AI-50x21-LOEP-1		Left Center Equipment Panel	2
64	Rivet #66x375	Production Supply	Rivet, Large, Stainless Steel	10
65	SquareD Qou130	CIRCUIT BREAKER-30A	Circuit Breaker, 115v, 30a Single Pole, Square D	1
66	SunPark YGLLD	FIXTURE-STRIP-13-1/2-8W	Lamp, Florescent, 120v AC, 8w, Electronic Ballast, 15 bulb	4
67	TYPEF-RA	TYPEF-RA	Rack Angle, Type F	8
68	TYPEF-RTB	TYPEF-RTB	Rack Top/Bottom Type F	4
69	Weidmeuller 9101603500	CIRCUIT BREAKER-2.5A-DIN	Circuit Breaker, 2.5A, 1 Pole, Weidmeuller	1
70	White Rodgers 757-1	Thermostat-Fan-8a	Thermostat, Fan, 120v AC, 8a	1
71	WireTie	Production Supply	Wire Tie	14
72	Pnl-AI-50x21-LOEP-1		Left Outside Equipment Panel	1



**Southern Manufacturing**  
501 Herndon Ave  
Orlando, FL 32803 407-894-8851

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Southern Manufacturing. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Southern Manufacturing IS PROHIBITED.

MATERIAL 5052H-32 ALUMINUM

FINISH MILL

NAME	DATE	DWG. NO.
DRAWN GWM		Assy MsDOT Type C
CHECKED		-
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		
SIZE	A BOM	
SCALE:1:10	WEIGHT:	REV. 1
		SHEET 9 OF 9